



## SHELL FRUITS

FRAMEWORK PROGRAM FOR MINERAL™ ON SHELL FRUITS		Chestnut, Walnut, Hazelnut, Almond , Pistachio	
Development phase	Measure	Mineral™	Solution
soil preparation for planting seedlings or at the beginning of the vegetation in biennial and perennial trees	Basic fertilization or additional fertilization with organic or mineral fertilizers (NPK)	/	/
<p>immediately after planting seedlings</p> <p>or</p> <p>at the beginning of vegetation (sprouting)</p>	<p>Watering the soil under the circumference of the crown of the tree</p> <p>twice in the span of 14 days;</p> <p>for young trees again at the beginning of dry period</p> <p><i>- brings nutrients and water to the soil and root system</i></p> <p><i>- improves development and strength of plants</i></p> <p><i>-reduces the influence of the temperature shock, wind, frost etc., distinctively in young trees</i></p>	<b>MINERAL™ GREEN</b>	<p><b>4 %</b></p> <p>( 40 ml / 1 l water )</p> <p>( 4 dcl / 10 l water )</p> <p>( 4 l / 100 l water )</p>

<p><b>After 3 leaves are developed till fruits ripening</b></p>	<p>Spraying - prevention</p> <p>Repeat regularly once in 10 – 14 days</p> <p>- <i>increases the resistance of plants against diseases</i>  - <i>foliar feeding (through leaves)</i>  - <i>improves fertilization, quality of fruits and durability</i></p>	<p><b>MINERAL™ YELLOW</b></p>	<p><b>4 %</b></p> <p>( 40 ml / 1 l water )  ( 4 dcl / 10 l water )  ( 4 l / 100 l water )</p>
<p><b>After 3 leaves are developed till fruits ripening</b></p>	<p>Spraying - prevention</p> <p>Repeat regularly once in 10 – 14 days</p> <p>Always a day after spraying with Mineral™ Yellow</p> <p>- <i>increases the resistance of plants against pests</i>  - <i>foliar feeding (through leaves)</i></p>	<p><b>MINERAL™ RED</b></p>	<p><b>4 %</b></p> <p>( 40 ml / 1 l water )  ( 4 dcl / 10 l water )  ( 4 l / 100 l water )</p>
<p><b>IN THE EVENT OF</b></p>			
<p><b>the appearance of first signs of a disease</b></p>	<p>Spraying plants on all above ground parts of plants - curative</p> <p>Repeat at least 3 times every other day (day 1., 3., 5., (7.))</p> <p>-<i>market growers should use an appropriate (systemic) fungicide at once along with Mineral™ Yellow, but separately, not in the same canister</i></p>	<p><b>MINERAL™ YELLOW</b></p>	<p><b>8 %</b></p> <p>( 80 ml / 1 l water )  ( 8 dcl / 10 l water )  ( 8 l / 100 l water )</p>

**the appearance of first signs  
of a pest**

Spraying plants on all above ground parts of plants -  
curative

Repeat at least 3 times every other day (day 1., 3., 5., (7.))

*Do not spray at the same time with Mineral™ Yellow.*

*- market growers should use an appropriate insecticides*

**MINERAL™ RED**

**8 %**

( 80 ml / 1 l water )

( 8 dcl / 10 l water )

( 8 l / 100 l water )