

INDUSTRIAL PLANTS (rape, turnip rape, sunflower, flax, hemp...)



MINERAL	USE	Concentration	Time of use	Uses	Effect of agent
1. MINERAL GREEN	watering	4 % 40 ml / 1 l water 4 dcl / 10 l water	After seeding	1x*	- adds nutrient and moisture to soil - increases the development of roots - decreases effect of stress, especially in young plants: heat, wind, drought, ... - strengthens aerial parts and roots
2. MINERAL BLUE	watering	4 % 40 ml / 1 l water 4 dcl / 10 l water	10 days after germination	1x*	- accelerates growth and development of aerial parts - strengthens all plant parts
3. MINERAL YELLOW	spraying	4 % 40 ml / 1 l water 4 dcl / 10 l water	14 days after germination	repeat 2x in 14 days*	- increases natural resistance against diseases and stress - foliar nutrient adding - reduces stress
4. MINERAL RED	spraying	4 % 40 ml / 1 l water 4 dcl / 10 l water	7 days after spraying with MINERAL™ YELLOW	repeat 2x in 14 days*	- increases natural resistance against pests - foliar nutrient adding - increases the quality of crop
5. MINERAL YELLOW FORTE	spraying	8 % 80 ml / 1 l water 8 dcl / 10 l water	At the occurrence of first signs of DISEASE or damage due to environmental stress	repeat at least 3x every 2 days	-limits the spread of diseases and decreases the amount of damage caused to plant by disease or environmental stress
6. MINERAL RED FORTE	spraying	8 % 80 ml / 1 l water 8 dcl / 10 l water	At the occurrence of first PESTS	repeat at least 3x every 2 days	-limits the spread and feeding of pests and decreases the damage they cause to plants

* Spray alternating between MINERAL™ YELLOW and MINERAL™ RED. At least 48 hours must pass between using MINERAL™ YELLOW and MINERAL™ RED.

* watering with MINERAL GREEN and BLUE can be left out, if your technology of production cannot allow it.